# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



Commonwealth of Massachusetts.

# STATE BOARD OF AGRICULTURE.

BOSTON, Aug. 27, 1902.

To Whom it may Concern:

X

This is to Certify. That I have this Twenty seventh day of August, 1902, completed the inspection of the nursery stock of the BAY STATE NURSERIES, grown at North Abington, State of Massachusetts, and find it to be apparently free from the San Jose Scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.

(Signed)

H. T. FERNALD,

Inspector.

## SPRING OF 1903

Unholesale Trade List

# BAY STATE

## **NURSERIES**

NORTH ABINGTON, MASS.



# WINDSOR H. WYMAN, PROPRIETOR.

Connected by Long Distance Telephone Rockland Central, 26=23

North Abington is located eighteen miles south of Boston, half way from Boston to Plymouth Rock, on the Old Colony Division of the N. Y., N. H. & H. R. R. Trains leave the South Union Station for North Abington about every hour during the day.

#### WHEN THE PACKING SEASON BEGINS.

W E usually begin digging and packing about the first of October in the fall and April 1 in spring.

#### DIRECTIONS FOR SHIPPING.

Parties ordering are requested to state explicitly the mode of conveyance by which they desire their stock forwarded. When no route is designated, we exercise onr judgment; but in no case do we assume any responsibility after packages are shipped, unless for our own mistakes. When losses occur by detention, claims should at once be made on the forwarder.

#### CONDITIONS OF SALE.

First.—The articles on the following list will be furnished at the annexed prices only when the quantity specified shall be taken. Five hundred will be furnished at the thousand rate; fifty at the hundred rate; and five at the rate per ten.

Second.—While we exercise the greatest care to have all Trees, Shrubs, and Plants genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that prove untrue, we do not give any warranty, expressed or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the goods. No complaints will be considered that are not made within ten days after receipt of stock.

Third.—The prices annexed do not include the boxes or bales. A charge equal only to the actual cost of the boxes or the material used in baling is made. No charge for conveyance to freight station.

Our terms are cash, unless by special agreement. We can ship by express, C. O. D., when desired, with charges for collection added to the bill,—provided 20% of the amount of the order accompanies the same as a guarantee. Said guarantee will be required only from parties with whom we have no business acquaintance. All bills remaining unpaid December 1st in fall, and June 1st in spring, will be subject to sight draft without further notice.

Address all orders and communications to

WINDSOR H. WYMAN,
North Abington, Mass.

# Price List.

### FLOWERING SHRUBS.

| ALTHEA. See Hibiscus.                                    |    |    |               |  |
|--|----|----|---------------|--|
| AMORPHA fruticosa. 2 to 3 ft                             | 31 | 00 | \$6 00        |  |
| 4 to 6 ft  | 1  | 50 |               |  |
| ARALIA   |    |    |               |  |
| Pentaphylla. 2 to 3 ft                                   | 1  | 00 | 8 00          |  |
| 3 to 4 ft  |    |    | 10 00         |  |
| Spinosa. 3 to 4 ft                                       | 2  | 50 |               |  |
| ANDROMEDA racemosa. 3 ft                                 | 2  | 50 |               |  |
| ARONIA arbutifolia. 2 ft                                 | 1  | 20 | 8 00          |  |
| Nigra. 2 ft  | 1  | 20 | 8 00          |  |
| AZALEA   |    |    |               |  |
| Calendulacea. 18 to 24 in                                |    |    |               |  |
| Hardy Ghent. 2 ft. Variety of colors                     |    |    |               |  |
| Mollis. 15 to 18 in. Named colors                        |    |    |               |  |
| 18 to 24 in. " "   |    |    |               |  |
| Nudiflorum. 18 to 24 in. Pink                            |    |    |               |  |
| Vaseyi. 18 to 24 in.                                     |    |    |               |  |
| Viscosa. 2 to 3 ft                                       |    |    |               |  |
| BACCHARIS halimifolia. 2½ to 3 ft                        | 1  | 00 | 8 00          |  |
| BERBERIS   |    |    |               |  |
| Aquifolia. 10 to 12 in                                   | 1  | 00 | 8 00          |  |
| Ilicifolia. 8 to 12 in                                   | -  | 20 | 10 00         |  |
| <b>Thunbergi.</b> 12 to 16 in                            | _  | 00 | 7 00          |  |
| 16 to 20 in\$80 per M.                                   |    | 20 | 9 00          |  |
| 20 to 30 in  |    | 50 | 12 00<br>7 00 |  |
| Vulgaris . 18 to 24 in<br>Vulgaris purpurea. 24 to 30 in |    | 00 | 8 00          |  |
|  |    |    | 0 00          |  |
| BENZOIN odoriferum. 3 ft                                 |    |    |               |  |
| BUDDLEIA Japonica. 3 ft                                  | 1  | 00 | 8 00          |  |
| BAYBERRY. See Myrica.                                    |    |    |               |  |
| CALYCANTHUS floridus. 18 in                              | 1  | 20 | 10 00         |  |
| CEPHALANTHUS occidentalis. 18 in.                        |    |    | 5 00          |  |
| 30 in. heavy   | 1  | 20 |               |  |
| CERCIS   |    |    |               |  |
| Canadensis. 18 in  | 1  | 00 |               |  |
| Japonica. 2½ to 3½ in                                    |    |    |               |  |
| CHIONANTHUS Virginica. 18 to 24 in                       |    |    | 15 00         |  |
| 2 to 3 ft  |    |    | 017           |  |
| 3 to 4 ft  |    |    |               |  |
| 5 to 6 ft. trees   | ō  | 00 |               |  |
| CLETHRA alnifolia. 2 to 3 ft                             | 1  | 00 | 8 00          |  |
| COLUTEA arborescens. 2 to 3 ft                           |    |    | 6 00          |  |
| 410 5 ft   |    |    | 10.00         |  |

CORCHORUS. See Kerria. CORNUS Per 10. Per 100. \$6 00 8 00 7 00 Florida. 18 to 24 in., bushy 1 20 10 00 2 to 3 ft., " 2 00 15 00 6.6 3 to 4 ft.. 2 50 10 00 15 00 8 00 15 00 DECODON verticillatus. 1 20 8 00 DESMODIUM 10 00 DETITIZA 10 00 7 00 8 00 12 00 10 00 Pride of Rochester, 3 to 4 ft 1 20 ELEAGNUS 10 00 EUONYMUS. 3 to 4 ft ...... 1 20 Europeus. 10 00 Latifolius. Nanus. 18 in...... 1 50 12 00 Radicans. See Evergreen Shrubs. EXOCHORDA grandiflora. 2 to 3 ft...... 1 00 8 00 3 to 4 ft...... 1 50 12 00 FORSYTHIA Fortunei. 3 to 4 ft. 1 20 9 00 12 00 3 ft...... 1 25 10 00 Intermedia. 9 00 12 00 Viridissima. 3 ft ...... 1 00 4 to 5 ft...... 1 50 12 00 HALESIA tetraptera. 5 to 6 ft...... 2 00 HAMAMELIS Virginica. 3 to 3½ ft...... 1 00 10 00 HIBISCUS (Althea-Rose of Sharon) A. P. Rouge. Double rose pink. 2 to 3 ft ....... 1 20 10 00 10 00 Jeanne d'Arc. Double white. 21 to 31 ft..... 10 00 Varigated. 2½ ft...... 1 50 HYDRANGEA 6.00 Nivea or radiata. 2 to 3 ft...... 1 00 6 00

3 to 4 ft...... 1 20

8 00

### BAY STATE NURSERIES.

|   |    |                 | Per 100.      |
|---|----|-----------------|---------------|
| Paniculata (type). 2½ to 3 ft   |    |                 | 6 00          |
| * ************************************                                    | 1  | 25              | 8 00<br>87 00 |
| Paniculata grandiflora.         1½ to 2 ft           2 to 2½ ft         2 | 21 | 20              | 9 00          |
| 3 to 4 ft   |    |                 | 12 60         |
| HIPPOPHÆ rhamnoides. 3 ft   |    |                 |               |
| HYPERICUM aureum. 2½ ft   |    |                 | 8 00          |
|   |    |                 |               |
| ILEX verticillata. 18 in<br>ITEA Virginica. 2 to 3 ft                     |    | 20              | 8 00          |
| KERRIA  |    |                 |               |
| Japonica fl. pl. 3 yrs. 2 to 3 ft<br>Japonica vgta. 12 in                 |    | $\frac{20}{00}$ | 10 00<br>8 00 |
| LESPEDEZA. See Desmodium Sieboldi.  |    |                 | /             |
| LAURUS. See Benzoin.  |    |                 |               |
|   |    |                 |               |
| LIGUSTRUM   | 1  | 00              | 8 00          |
| Ibota. 2½ to 3 ft   | 1  | 00              | * 3 00        |
| 2 ft. 830 per M.  |    |                 | 4 00          |
| 2½ ft. 835 per M.   | 1  | 00              | 5 00          |
| 3 ft  |    | 20              |               |
| LILAC. See Syringa.   |    |                 |               |
| LONICERA (Bush Honeysuckle)   |    |                 |               |
| Morrowi. 2 to 3 ft.   | 1  | 00              | 7 00          |
| 3 to 4 ft   | 1  | 20              | 8 00          |
| Rosea grandiflora. 2 to 3 ft  | _  |                 | 7 00          |
| Ruprechtiana. 2 to 3 ft.  |    | 00              | 6 00<br>7 00  |
| 3 to 4 ft   |    | 00              | 7 00          |
|   |    |                 |               |
| MYRICA gale.2 ft., bushy<br>cerifera. 12 to 15 in                         |    |                 | 10 00         |
| PEONY aborea. (Tree Peony)  | 7  | 50              |               |
| POTENTILLA fruticosa. 18 to 24 in   | 1  | 00              | 6 00          |
| PHILADELPHUS  |    |                 |               |
| Coronarius. 2 to 3 5t   | 1  | 00              | 8 00          |
| var. nanus. 2 to 3 ft   |    |                 | 8 00          |
| " aureus '18 to 24 in   | 1  | 50              | 12 00         |
| 24 to 30 in   | 2  | 00              |               |
| Gordonianus. 3 to 4 ft  |    |                 | 7 00          |
| Grandiflorus. 3 to 4 ft   | 1  | 00              | 7 00          |
| PRUNUS Pissardi. See under trees.   |    |                 |               |
| PTELEA trifoliata (Hop Tree). 4 to 5 ft                                   |    |                 | 10 00         |
| 6 to 8 ft   | 1  | 90              | 12 00         |
| PYRUS arbutifolia. See Aronia.  | 7  | 20              | 0.00          |
| Pygmea. 2 ft  |    |                 | 8 00          |
|   | 1  | 20              |               |
| RIBES   |    |                 |               |
| Aureum. 18 to 24 in   |    |                 |               |
| Sanguineum. 2 to 2½ ft  | 1  | 40              |               |
| RHODOTYPUS kerriodes (White Kerria).                                      | 1  | an              | 10.00         |
| 2 to 3 ft   | 1  | 40              | 10 00         |
| Aromatica. 18 to 24 in  | 1  | 90              | 10 00         |
| Copallina. 2 yrs.   |    |                 | 7 00          |
| Cotinus. 3 ft.  |    | 20              | 4 00          |
| 6 ft  |    |                 | 20 00         |
|   |    |                 |               |

|   |      | Per 100.      |
|---|------|---------------|
| Glabra. 2 to 4 ft\$1                                |      | \$9 00        |
| Glabra laciniata. 2 ft                              |      | 12 00         |
| Typhina. 2 to 4 ft                                  | 50   |               |
| ROSA  |      |               |
|   | 00   | 7 00          |
|   | . 00 | 6 00          |
| 24 to 30 in 1                                       |      | 8 00          |
| Lucida. 12 to 18 in                                 |      | 6 00          |
| Multiflora. 3 to 4 ft                               | 00   | 7 00          |
| Nitida. 12 to 18 in                                 | 1 00 | 8 00          |
| 18 to 24 in   |      | 10 00         |
| Rubiginosa. 18 to 24 in                             |      | 7 00          |
| 24 to 30 in   |      | 8 00          |
| Rubrifolia. 2 to 3 ft.                              |      | 8 00          |
| Rugosa alba. 18 in                                  |      | 12 00         |
| rubra. 12 to 18 in                                  |      | 7 00          |
| 18 to 24 in   | 1 20 | 9 00<br>12 00 |
| Rugosa Comte d'Epremesnil. Double red,              | . 00 | 12 00         |
| constant bloomer, most desirable. 2 ft              | 3 50 | 25 00         |
| Wichuraiana. White. 3 yrs                           |      | 10 00         |
| •   | 1 50 | 10 00         |
| Manda's Triumph; Pink Roamer; Univer-               |      |               |
| sal Favorite; South Orange Perfection.              |      |               |
| RUBUS odoratus (Flowering Raspberry).               |      |               |
| 2 to 3 ft   | 1 00 | 7 00          |
|   |      |               |
| SAMBUCUS  |      |               |
| Nigra aurea. 3 ft                                   | 1 20 | 10 00         |
| SNOWBERRY. See Symphoricarpus.                      |      |               |
|   |      |               |
| SPIRÆA  |      |               |
| Arguta. 3 to 4 ft.                                  |      |               |
| Callosa. 2½ to 3 ft                                 |      | 7 00          |
| Alba. 1 to 2 ft                                     |      | 7 00<br>10 00 |
| Bumalda. 24 to 30 in                                |      | 8 00          |
|   | 1 50 | 0 00          |
| Opulifolia. 2½ to 3 ft                              |      | 6 00          |
| 5 to 6 ft   |      | 15 00         |
| aurea. 1½ to 3 ft                                   |      | 8 00          |
| Prunifolia. 3 ft                                    | 1 20 | 8 00          |
| Sorbifolia. 24 to 30 in                             | 1 00 | 8 00          |
| Thunbergi. 2 yrs. trans. 8 in. \$25 per M           |      | 3 00          |
| 3 yrs. twice trans. 18 in. \$50 per M               |      | 6 00          |
| 97 - 9  | 1 50 | 10 00         |
|   | 1 00 | 9 00          |
| 2 to 3 ft   | 1 20 | 12 00         |
| STEPHANANDRA flexuosa. 12 to 18 in                  | 1 00 | 8 00          |
|   | 1 50 | 0 00          |
|   |      |               |
| STYRAX Japonica. 3 to 4 ft                          | 1 50 | 10 00         |
| SYMPHORICARPUS                                      |      |               |
| Racemosus (Snowberry). 18 to 24 in                  |      | 6 00          |
| 24 to 30 in   | 1 00 | 8 00          |
| Vulgaris (Indian Currant). 18 to 24 in., \$40 per M |      | 5 00          |
| 24 to 30 in   | 1 00 | 8 00          |
|   |      |               |

### BAY STATE NURSERIES.

| SYRINGA (Lilac) Pe                           | r      | 10.      | Per 1 | 00. |
|--|--------|----------|-------|-----|
| Chas. X. 2 to 3 ft                           |        |          |       |     |
| Dr. Bretschneider. 3 to 4 ft                 | 3      | 00       |       |     |
| Josikea. 2 to 3 ft                           | 1      | 50       |       |     |
| Ludwig Spath. 2 to 3 ft                      | $^2$   | 00       |       |     |
| Marie LeGray. 2 to 3 ft                      | $^{2}$ | 00       | \$15  |     |
| Persica. 3 to 4 ft                           | 1      | 50       | 12    |     |
| Rothamagensis. 3 ft                          | 1      | 50       | 12    |     |
| Vulgaris. 2 to 3 ft                          | 1      | 20       | 10    |     |
| <b>alba.</b> 2 to 3 ft                       | 1      | 20       | 10    | 00  |
| VIBURNUM                                     |        |          |       |     |
| Cassinoides. 12 to 18 in. 2 yr. seedlings    |        |          |       | 00  |
| 18 to 24 in                                  |        |          | 12    |     |
| 24 to 30 in                                  |        |          | 15    |     |
| 30 to 36 in                                  |        |          | 20    |     |
| Dentatum. 24 to 30 in                        |        | 50       | 12    | 00  |
| Lantana. 18 to 24 in                         |        | 00       | 10    | 00  |
| 3 to 4 ft                                    |        | 50       |       | 00  |
| Populus (Cranberry Tree). 1½ to 2 ft         |        |          | 8     | 00  |
| 3 to 4 ft                                    |        | 50<br>50 |       |     |
| var. nanus. 12 to 15 in                      |        |          | 9     | 00  |
| " sterilis (Common Snowball). 2ft 3 to 4 ft. |        | 50       |       | 00  |
| Plicatum (Japan Snowball). 2 to 3 ft         |        |          | 20    | 00  |
| 3 to 4 ft                                    |        |          | 25    |     |
| Tomentosum. 2 to 2½ ft                       |        |          | 20    |     |
| 3 to 4 ft.; very heavy                       |        | 00       | 40    |     |
|  |        |          |       |     |
| WEIGELA Amabilis. 2 to 3 ft                  | 1      | 50       |       |     |
| Candida. 3ft                                 |        | 50       | 12    | 00  |
| Desboisi. 4 ft.                              |        | 00       |       |     |
| Eva Rathke. 2 ft                             |        | 50       |       |     |
| Rosea. 2 to 3 ft.                            |        |          | 12    | 00  |
| Van Houttei. 4 ft                            |        | 00       |       |     |
| Variegeta. 2 to 3 ft                         |        | 50       | 12    | 00  |
| 9  |        |          | 10    | 00  |
| XANTHORRHIZA apiifolia. 8 to 10 in           | 1      | 20       | 10    | 110 |
| EVEDODEEN CHDUDC                             |        |          |       |     |
| EVERGREEN SHRUBS.                            |        |          |       |     |
|  |        |          | Per 1 | 00. |
| Floribunda. 12 to 18 in                      |        |          |       |     |
| Japonica. 15 to 18 in                        | 10     | 00       |       |     |
| BUXUS (Box)                                  |        |          |       |     |
| Trimmed Specimens. 2 to 3 ft                 | 10     | 00       |       |     |
| Standard. 3 ft. \$1 50 each                  |        |          |       |     |
| COTONEASTER microphylla. 8 in                | 1      | 00       | 8     | 00  |
| DAPHNE                                       |        |          |       |     |
| Cneorum. 8 to 12 in                          | 4      | 50       | 40    | 00  |
| Variegata. 8 to 12 in                        |        | 00       |       |     |
| EUONYMUS                                     |        |          |       |     |
| Radicans. 6 to 12 in                         | 1      | 00       | 7     | 00  |
| variegata. 6 to 8 in                         |        | 00       |       | 00  |
| HEDERA helix (English Ivy).                  | _      | -        |       |     |
| 2 yrs  |        |          | 4     | 00  |
| 3 yrs  |        | 20       |       | 00  |
| ILEX   |        |          |       |     |
| Glabra (Ink Berry). 12 in. clumps            | 9      | 50       |       |     |
| Opaca (Am. Holly). 18 to 24 in               | 4      | 00       | 30    | 00  |
| 24 to 30 in                                  |        |          | 90    | 00  |
| 22 50 00 22                                  | ,      |          |       |     |

| W1100201102 110 10 17                               |          |
|---|----------|
| ILEX Per 10.  | Per 100. |
| Glabra (Ink Berry). 12 in. clumps\$2 50             |          |
| Opaca (Am. Holly). 18 to 24 in                      | \$30 00  |
| 24 to 30 in 6 00                                    |          |
| KALMIA latifolia (Mountain Laurel).                 |          |
| 18 in 5 00  | 40 00    |
| 18 to 24 in. clumps                                 | 75 00    |
| LEUCOTHOE Catesbael. 12 to 18 in 2 00               | 15 00    |
| MAHONIA aquifolia. See Berberis aquifolia.          |          |
| RHODODENDRON  |          |
| Catawbiense. 18 to 30 in., single stems             | 30 00    |
| Maximum. 18 to 30 in., single stems 4 00            | 30 00    |
| Large Clumps, 2 to 4 ft., \$1 00 to \$2 00 each.    |          |
| Hybrids in variety. Best named sorts. 18 to         |          |
| 24 in., budded                                      | 90 00    |
| VINCA minor\$20 per M                               | 3 00     |
| YUCCA   |          |
| Filamentosa. 3 and 4 yrs 1 00                       | 8 00     |
| PO 4E4  |          |
| ROSES.  |          |
| CLIMBING Per 10.                                    | Per 100. |
| Baltimore Belle. 2 yrs., 3 ft\$1 20                 |          |
| Queen of Prairie. 2 yrs., 3 ft                      |          |
| Rambler, Crimson. 3 yrs., 2 to 3 ft                 |          |
| 3 yrs., 3 to 4 ft 2 00                              |          |
| 2 yrs., 24 to 30 in. cut back 1 20                  |          |
| Pink. 2 yrs., 3 ft                                  |          |
| White. 2 yrs., 3 ft                                 |          |
| Yellow. 2 yrs., 3 ft                                |          |
| Hybrid Perpetual and other leading sorts in         |          |
| large variety                                       | 12 00    |
| range variety 1 50                                  | 12 00    |
| STANDARD SHRUBS, ETC.                               |          |
| HIBISCUS (Althea), 4 to 5 ft., 2 yr. heads\$5 00    | \$45.00  |
| Double Dark Purple.                                 | Ψ        |
| " Light Purple.                                     |          |
| " Pink.   |          |
| " White.  |          |
| For formal gardens the Standard Althea is very desi | rable.   |
| HYDRANGEA paniculata grandiflora.                   |          |
| 3 to 4 ft   |          |
| 4 to 5 ft   |          |
| ROSES   |          |
| Crimson Rambler. 4 to 5 ft., 2 yr. heads 5 00       |          |
| WISTARIA.   |          |
| Chinese Purple, bush form, 30 in\$1 00 each.        |          |
| tree form, $4$ to $5$ ft., $$1$ $50$ each.          |          |
|   |          |
| VINES.  |          |

#### VINES.

|                   |          | Pe        | r  | 10. | Per 100. |  |
|-------------------|----------|-----------|----|-----|----------|--|
| ACTINIDIA arguta. | 3 yrs.   | 3 to 4 ft | 82 | 00  | 15 00    |  |
| AKERIA quinata.   | Very sti | ong       | 1  | 20  | 10 00    |  |

| AMPELOPSIS   |  |   | Per l                        |                            |
|--|--|---|------------------------------|----------------------------|
| Engelmanni. 3 yrs  |  |   | \$10                         |                            |
| Quinquefolia. 3 yrs  |  |   |                              | 00                         |
| Veitchi. 2 yrs., No. 1   |  |   |                              | 00                         |
| 2 yrs., No. 2  |  |   | 7                            | 50                         |
| ARISTOLOCHIA sipho. XX. 5 yrs  | 4  | 00                                      |                              |                            |
| CELASTRUS  |  |   |                              |                            |
| Articulatus or orbiculatus. 3 to 6 ft  | 1  | 00                                      | 8                            | 00                         |
| Scandens. 3 yrs  | 1  | 00                                      | 8                            | 00                         |
| CLEMATIS   |  |   |                              |                            |
| Coccinea. 3 yrs  | 2  | 50                                      |                              |                            |
| Crispa. 3 yrs.   |  | <b>00</b>                               |                              |                            |
| Henryi   | 3  | 50                                      |                              |                            |
| Jackmanni  | 3  | 50                                      |                              |                            |
| Paniculata. 3 yrs. XX  | 1  | 20                                      | 8                            | 00                         |
| 2 yrs  | 1  | 00                                      | 6                            | 00                         |
| Virginiana. 3 yrs  |  | 75                                      | 5                            | 00                         |
| LONICERA (Honeysuckle)   |  |   |                              |                            |
| Belgica. 3 yrs   | 1  | 00                                      | 8                            | 00                         |
| Brachypoda. 3 yrs  |  | 00                                      |                              | 00                         |
| aurea 3 yrs  |  |   |                              | 00                         |
| Hall's New Japan. 2 yrs  |  | 00                                      | 8                            | 00                         |
| PERIPLOCA græca (Silk Vine)  |  | 50                                      | 12                           | 00                         |
| TECOMA radicans (Trumpet Vine)   |  |   | 8                            | 00                         |
|  |  |   |                              |                            |
| WISTARIA Purple. XX30 cts. eac   | l. 0   | 50                                      |                              |                            |
| White 35 cts. each   |  | 00                                      |                              |                            |
| Chinese purple 40 cts. eac   |  | 50                                      |                              |                            |
| " white 50 cts. eac  |  | 00                                      |                              |                            |
| Willie So Cls. Cac   | п. т   | 00                                      |                              |                            |
|  |  |   |                              |                            |
| DECIDUOUS TREES  |  |   |                              |                            |
|  |  |   |                              |                            |
| Eac  |  | ın                                      | Per 1                        | 00                         |
|  | h. Per l   | 10.                                     | Per 1                        | 00.                        |
| ACER (Maple). My Maple trees are all   |  | 10.                                     | Per 1                        | 00.                        |
| ACER (Maple). My Maple trees are all exceptionally good. I invite in-  |  | 10.                                     | Per 1                        | 00.                        |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  | h. Per l   |   | Per 1                        | 00.                        |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  | h. Per 1<br>0 \$3 5  | 0                                       | Per 1                        | 00.                        |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | h. Per 1<br>0 \$35<br>5 30   | 0                                       | Per 1                        | 00.                        |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | 0 \$35<br>5 30<br>0 40   | 0 0                                     | Per 1                        | 00.                        |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.         Campestre. 5 to 6 ft   | 0 \$3 5 5 3 0 4 0 5 12 0   | 0 0 0 0 0                               | Per 1                        |                            |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.         Campestre. 5 to 6 ft   | 0 \$35<br>5 30<br>0 40<br>5 120<br>0 30  | 0 0 0 0 0 0 0 0                         |                              |                            |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | 0 \$35<br>5 30<br>0 40<br>5 120<br>0 30  | 0 0 0 0 0 0 0 0                         |                              |                            |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | 0 \$3 5 5 3 0 4 0 5 12 0 5 6 0   | 0 0 0 0 0 0 0 0 0                       |                              | 00                         |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.         Campestre. 5 to 6 ft   | 0 \$3 5 5 3 0 4 0 5 12 0 5 6 0   | 0 0 0 0 0 0 0 0 0                       | \$25                         | 00                         |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | 0 \$3 5 5 3 0 4 0 5 12 0 5 6 0   | 0 0 0 0 0 0 0 0 0                       | \$25                         | 00                         |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | 0 \$3 5 5 3 0 4 0 0 5 12 0 0 3 5 6 0 0 3 5   | 0<br>0<br>0<br>0<br>0<br>0<br>0         | \$25                         | 00                         |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | h. Per 1  0 \$3 5  5 3 0  0 4 0  5 12 0  0 3 0  0 3 5  0 4 5   | 000000000000000000000000000000000000000 | \$25<br>30                   | 00                         |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.         Campestre. 5 to 6 ft   | h. Per 1  0 \$3 5  3 0  4 0  5 12 0  3 0  0 3 5  0 4 5  0 5 5  | 0 | \$25<br>30<br>40             | 00<br>00<br>00<br>00       |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft. \$ 4  Dasycarpum (Silver Maple). 8 to 10 ft 15 to 16 ft 12  var. Wieri. 5 to 6 ft. 10 to 12 ft. 7  Negundo (Box Elder—Ash Leaf Maple). 8 to 10 ft. 4  Plantanoides (Norway Maple). These Norways are unsurpassed anywhere 8 to 9 ft. 5 9 to 10 ft. 6 10 to 12 ft. 7  12 to 14 ft. 7 | h. Per 1  0 \$3 55  3 0  4 0  5 12 0  0 3 5  0 4 5 5  0 5 7 0  | 000000000000000000000000000000000000000 | \$25<br>30<br>40<br>50       | 00<br>00<br>00<br>00<br>00 |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft  | 0 \$3 5 5 3 0 3 0 5 6 0 3 5 5 7 0 0 0 7 5 5 10 0 0 0 7 5   | 000000000000000000000000000000000000000 | \$25<br>30<br>40<br>50<br>65 | 00<br>00<br>00<br>00<br>00 |
| ACER (Maple). My Maple trees are all exceptionally good. I invite inspection.  Campestre. 5 to 6 ft. \$ 4  Dasycarpum (Silver Maple). 8 to 10 ft 15 to 16 ft 12  var. Wieri. 5 to 6 ft. 10 to 12 ft. 7  Negundo (Box Elder—Ash Leaf Maple). 8 to 10 ft. 4  Plantanoides (Norway Maple). These Norways are unsurpassed anywhere 8 to 9 ft. 5 9 to 10 ft. 6 10 to 12 ft. 7  12 to 14 ft. 7 | 0 \$3 5 5 3 0 0 4 0 0 5 12 0 0 3 5 6 0 0 4 5 5 7 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 7 5 5 10 0 0 0 0 7 5 5 10 0 0 0 0 7 5 5 10 0 0 0 0 0 7 5 5 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | \$25<br>30<br>40<br>50<br>65 | 00<br>00<br>00<br>00<br>00 |

12 to 14 ft.....

12 to 14 ft.....

Pseudo-platanus (Sycamore Maple). 10 to 12 ft.....

Purple Leaf Sycamore Maple. 8 to 10 ft..... 1 00

1 50

75

1 00

12 50

7 00

9 00

60 00

80 00

| WINDERSTELL TIGHTE                          |    | 101 | •     |     |        |     |
|---|----|-----|-------|-----|--------|-----|
| ACER  | Ea | ch. | Per   | 10. | Per 10 | 00. |
| Saccharinum (Sugar or Rock Maple)           |    |     |       |     |        |     |
| 6 to 8 ft \$150 per M., \$20 per 100        |    |     |       |     |        |     |
| 8 to 10 ft                                  | \$ | 60  | \$5.5 | 50  | \$50   | 00  |
| 10 to 12 ft                                 |    | 90  | 8 (   | 00  | 75     | 00  |
| 12 to 14 ft                                 | 1  | 25  | 10 (  | 00  | 90     | 00  |
| Tartaricum. 7 to 9 ft                       |    | 50  | 4 (   | 00  |        |     |
| ÆSCULUS hippocastanum (Horse                |    |     |       |     |        |     |
| Chestnut). 5 to 7 ft                        |    | 50  | 4 (   | no. |        |     |
| 8 to 10 specimens                           |    | 60  | 5 5   |     |        |     |
| Rubrum. 3 to 4 ft                           |    | 50  | 4 (   |     |        |     |
|   |    | .,0 | * (   | ,,, |        |     |
| AILANTHUS (Tree of Heaven). 5 to 7          |    |     |       |     |        |     |
| ft  |    | 30  | 2 5   |     | 20     | 00  |
| 7 to 10 ft                                  |    | 40  | 3 8   | 50  |        |     |
| ALNUS glutinosa. 8 to 10 ft                 |    | 50  | 4 (   | 00  | 30     | 00  |
| laciniata. 5 to 6 ft                        |    | 50  |       |     |        |     |
| BETULA (Birch)                              |    |     |       |     |        |     |
| Alba. 6 to 7 ft                             |    | 50  | 4     | 00  |        |     |
| 8 to 10 ft                                  |    | 75  | 6 (   |     |        |     |
| Alba laciniata pendula. 12 to 14 ft         | 1  | 25  |       |     |        |     |
| Alba Young's weeping. 5 to 7 ft             |    | 00  | 9     | 00  |        |     |
| Lenta. 7 to 9 ft                            | -  | 50  | 4 (   |     |        |     |
| Lutea. 9 to 10 ft                           |    | 75  | 6     |     |        |     |
| Nigra (River Birch). 8 to 10 ft             |    | 60  | 5 (   |     |        |     |
| Papyrifera. 6 to 8 ft                       |    | 50  | 4 (   | 00  | 30     | 00  |
| 8 to 10 ft                                  |    | 75  | 6 (   | 00  | 50     | 00  |
| Populifolia. 6 to 8 ft                      |    | 40  | 3 8   | 50  |        |     |
| Purpurea. 6 ft                              |    | 50  |       |     |        |     |
| <del>-</del>                                |    | 50  |       |     |        |     |
| CASTANEA Am. (Chestnut), 6 ft               |    | 90  |       |     |        |     |
| CATALPA                                     |    |     |       |     |        |     |
| Bungei. 2 yr. heads. 8 to 9 ft              | 1  | 00  |       |     |        |     |
| Speciosa. 8 to 10 ft                        |    | 50  | 4     | 50  |        |     |
| Speciosa, specimen trees, 12 to 14 ft., \$1 |    |     |       |     |        |     |
| to \$2 each.                                |    |     |       |     |        |     |
| CHIONANTHUS. See Shrubs.                    |    |     |       |     |        |     |
| CORNUS florida. See Shrubs.                 |    |     |       |     |        |     |
| CLADRASTIS. See Virgilia lutea.             |    |     |       |     |        |     |
|   |    |     |       |     |        |     |
| CRATÆGUS (Thorn)                            |    |     |       |     |        |     |
| Carrieri. 3 to 4 ft                         |    | 50  | 4     |     |        |     |
| Coccinea. 3 ft                              |    |     | 2     |     |        | 00  |
| Crus-galli. 3 ft                            |    |     | 2 (   |     | 15     | 00  |
| Double Pink. 4 to 5 ft                      |    | 50  | 4 (   |     |        |     |
| Double White. 4 to 5 ft                     |    | 50  | 4     |     | 10     | 0.0 |
| Oxycantha. 3 to 5 ft                        |    | 20  | 1 :   |     | 12     | 00  |
| Paul's Double Scarlet                       |    | 60  | 5     | 00  |        |     |
| FAGUS (Beech)                               |    |     |       |     |        |     |
| Ferruginea. American. 3 to 4 ft             |    | 50  |       |     |        |     |
| " pendula. 5                                |    |     |       |     |        |     |
| to 6 ft                                     |    | 00  |       |     |        |     |
| Heterophylla (Fern Leaf Beech). 3           |    | -   | _     |     |        |     |
| to 4 ft                                     |    | 75  | 6     |     |        |     |
| Purpurea. 5 to 7 ft                         | _  | 75  | 6     |     |        |     |
| <b>Riversi.</b> 5 to 6 ft                   | 1  | 00  | 9     | 00  |        |     |
| FRAXINUS Americana (White Ash).             |    |     |       |     |        |     |
| 8 to 10 ft                                  |    | 50  | 4     | 00  |        |     |
| 10 to 12 ft                                 |    | 75  | 6     | 00  |        |     |

| GYMNOCLADUS canadensis (Ky. Cof-<br>fee Tree). 4 to 6 ft          | Each.      | Per 10.      | Per 100.       |
|---|------------|--------------|----------------|
| fee Tree). 4 to 6 ft  | \$ 40      | \$3 00       | \$25 00        |
| 6 to 8 ft   | 70         | 5 00         | φ20 00         |
| KOELREUTERIA paniculata. 3 to                                     | • •        |              |                |
| 4 ft  | 50         | 4 00         |                |
| LIRIODENDRON tulipifera. (Tulip                                   |            |              |                |
| Tree) 5 to 6 ft   | 50         | 4 00         |                |
| LINDEN. See Tilia.  |            |              |                |
| MORUS (Mulberry. Tea's weeping). 2-                               |            |              |                |
| yr. heads   | 7.5        |              |                |
| MAGNOLIA  | ***        |              |                |
| Acuminata. 6 to 8 ft  | 50         | 4 00         |                |
| Conspicua. 3 ft   | 80         | 7 50         |                |
| Glauca. 3 to 4 ft   | 50         | 4 00         |                |
| Lennei. 3 ft  | 80         | 7 50         |                |
| Soulangeana. 3 ft   | 80         | 7 50         |                |
| Speciosa. 3 ft  | 80         | 7 50         |                |
| Stellata. 2 to 3 ft   | 90<br>1 50 | 8 50         |                |
| 3 to 4 ft   | 1 90       |              |                |
| PLATANUS orientalis (Sycamore) 6                                  | =0         | 4 00         |                |
| to 8 ft   | 50<br>60   | 5 00         |                |
|   | 00         | 0 00         |                |
| POPULUS (Poplar) Alba var. Bolleana. 6 to 8 ft                    | 25         | 2 00         |                |
| var. nivea. 8 to 10 ft  | 25         | 2 00         | 15 00          |
| Balsamifera. (Balm of Gilead). 6 to                               |            |              |                |
| 8 ft  | 50         | 4 00         |                |
| Canadensis aurea. 7 to 9 ft                                       | 35         | 3 00         |                |
| Carolina. 8 to 10 ft  | 30         | 2 50         | 20 00          |
| Fastigiata (Lombardy Poplar). 6 to                                |            |              |                |
| 8 ft  | 20<br>30   | 1 50<br>2 50 | 10 00<br>20 00 |
| 8 to 10 ft  | 50         | 2 30         | 20 00          |
| PRUNUS Pissardi (Purple Leaf Plum). 4 to 5 ft                     | 25         | 2 00         | 15 00          |
| PYRUS (European Mt. Ash). 8 to 10 ft                              | 35         | 2 50         | 20 00          |
| Aucuparia. 8 to 10 ft   | ээ<br>35   | 3 00         |                |
| Bechtel's (Flowering Crab). 3 ft                                  | 50         | 5 00         |                |
| 3 to 4 ft.  | 50         | 4 50         |                |
| Quercifolia. 6 ft   | 40         | 3 50         |                |
| QUERCUS (Oak)   |            |              |                |
| Alba (White Oak). 9 to 10 ft                                      | 1 25       |              |                |
| Bicolor (Swamp White Oak). 6 to 8 ft                              | 70         | 6 00         |                |
| Concordia (Golden Oak). 4 to 5 ft                                 | 90         | 8 00         |                |
| Palustris (Pin Oak), 4 to 5 ft                                    | 60         | 5 00         | 40 00          |
| Robur (English Oak). 7 to 8 ft                                    | 75<br>50   | 7 00<br>4 50 | 40 00          |
| 6 to 8 ft   | 75         | 6 50         | 60 00          |
| SALISBURIA (Ginkgo or Maidenhair                                  |            | 0 00         | 00 00          |
| Tree). 6 to 8 ft  | 50         | 4 50         |                |
| 8 to 10 ft  | 75         | 6 00         |                |
| SALIX (Willow)  | • • •      |              |                |
| Alba. 4 ft  |            | 1 20         | 10 00          |
| Babylonica. 7 to 9 ft   | 40         | 3 00         | 20 00          |
| Pentandra (Laurel Leaf Willow). 5                                 |            |              |                |
| to 6 ft., single stems, prime                                     |            | 1 50         | 12 00          |
| 7 to 9 ft., bushy   |            | 1 50         |                |
| Thurlow's. 8 to 10 ft. Tree shape Vitellina var. aurea. 5 to 6 ft |            | 2 50         | 20 00          |
| viteima var. aurea. 5 to 6 H                                      |            | 1 20         | 10 00          |

| WHOLESALE TRADE                         | LIST     | •       |     |          |
|---|----------|---------|-----|----------|
| ,                                       | Fools    | Dan     | 10  | Day 100  |
|   | eacn.    | Per     | 10. | Per 100. |
| SYRINGA Japonica (Tree Lilac of Ja-     |          | 40      | ~ ^ |          |
| pan). 3 to 4 ft                         |          | \$3     | 90  |          |
| 4 to 6 ft                               | 50       | ~       | 00  |          |
| Pekinensis (Chinese Lilac). 6 ft        | 60       | 5       | 00  |          |
| TAXODIUM distichum (Deciduous Cy-       |          |         |     |          |
| press). 4 to 5 ft                       | 50       | 4       | 00  |          |
| TILIA (Linden)                          |          |         |     |          |
| Americana. 2½ to 4 in. diameter \$1 to  |          |         |     |          |
| \$3 each.                               |          |         |     |          |
| 8 to 10 ft                              | 65       | 6       | 00  |          |
| European. 8 to 10 ft                    | 65       | 6       | 00  |          |
| TIT MILE (Elm)                          |          |         |     |          |
| ULMUS (Elm)                             | EO       | 4       | 00  | \$30 00  |
| Americana. 8 to 10 ft                   | 50<br>50 | 5       |     | \$30.00  |
| 10 to 14 ft                             |          | 9       | UU  |          |
| Huntingtoni. 10 to 14 ft                | 1 00     |         |     |          |
| VIRGILIA lutea (Yellowwood). 8 to       |          |         |     |          |
| 10 ft                                   | 1 00     | 9       | 00  |          |
|   |          |         |     |          |
| EVEDGDEENS                              |          |         |     |          |
| EVERGREENS.                             |          |         |     |          |
| ABIES (Fir)                             | Each.    | Per     | 10. | Per 100. |
| Concolor. 2 to 2½ ft                    |          | \$15    |     |          |
| Fraseri. 2 to 3 ft                      |          | 4       | 00  |          |
| 3 to 4 ft                               |          | 5       | 00  |          |
| Nordmanniana specimens. 2 to 21/2 ft.   |          | 10      | 00  |          |
| 2½ to 3 ft.                             |          | 15      | 00  |          |
| CHAMÆCYPARIS (Retinospora)              |          |         |     |          |
| Ericoides. 12 to 18 in                  | 2 50     | 20      | 00  |          |
| 18 to 30 in                             |          |         |     |          |
| filifera. 3 to 3½ ft                    |          |         |     |          |
| 4 to 5 ft                               |          |         |     |          |
| plumosa. 2 to 3 ft                      | 40       |         |     |          |
| " aurea. 1½ to 2 ft                     | 40       |         |     |          |
| 2 to 2½ ft                              |          |         |     |          |
|   |          |         |     |          |
| squarrosa veitchi. 2 to 3 ft            |          |         |     |          |
| 4 to 5 ft specimens                     |          | 10<br>5 |     |          |
| Sphærodia (White Cedar). 5 to 5 ft      |          | 9       | UU  |          |
| JUNIPERUS                               |          |         |     |          |
| Hibernica. 2 to 2½ ft                   | 40       | 3       | 00  | \$25 00  |
| Viginiana, twice transplanted. 18 to    |          |         |     |          |
| 24 in                                   |          | 2       | 50  | 20 00    |
| TADIN Frances 9 ft                      |          | 0       | 50  | 20 00    |
| LARIX Europæa. 3 ft                     |          | 2       | 50  | 20 00    |
| PICEA (Spruce)                          |          |         |     |          |
| Alba. 3 to 4 ft                         |          | 5       | 00  |          |
| 4 to 5 ft                               |          | 7       | 50  |          |
| Alcockiana. 1½ to 2 ft                  |          | 7       | 50  |          |
| Engelmanni. 15 to 18 in                 |          | 3       | 00  |          |
| 24 to 30 in                             |          | 5       | 00  |          |
| Excelsa (Norway Spruce). 2 to 3 ft      |          | 3       | 00  | 25 00    |
| 3 to 4 ft                               |          | 4       | 00  | 35 00    |
| Several times trans., 4 to 5 ft         |          | 5       | 00  | 40 00    |
| " " 5 to 6 ft                           |          | 6       | 00  | 50 00    |
| " " 6 to 7 ft                           |          | 7       |     | 60 00    |
| Nigra (Black Spruce). 2½ to 3 ft        | 50       | -       | 00  | -        |
| <b>Polita.</b> 2½ to 3 ft., \$1 00 each |          | _       |     |          |
| Pungens (Blue Spruce). \$1 25 per ft.   |          |         |     |          |
| in height. Green, 18 to 30 in           |          | 4       | 00  |          |
|   |          |         | -   |          |

| PINUS (Pine)                         | Each. | Per 10. | Per 100.     |
|--------------------------------------|-------|---------|--------------|
| Austriaca. 24 in                     |       | \$3 00  | \$25 00      |
| 3 to 4 ft                            | \$ 50 | 4 00    |              |
| Montana var. Mughus. XX. 18 to       |       |         |              |
| 24 in                                |       | 5 00    |              |
| Sylvestris, 3 ft                     |       | 3 50    | 30 00        |
| 4 to 6 ft                            |       | 5 00    |              |
| 6 to 8 ft                            | 1 00  | 7.50    |              |
| SCIADOPITYS verticillata (Umbrella   |       |         |              |
| Pine). 1 to 2 ft\$2 00 each          |       |         |              |
| 3 to 4 ft\$4 00 to \$5 00 each       |       |         |              |
|                                      |       |         |              |
| THUYA (Arborvitæ)                    |       |         |              |
| Occidentalis (Am. Arborvitæ). 2 to 3 |       |         |              |
| ft                                   |       | 2 00    | 15 00        |
| 3 to 4 ft                            |       | 2 50    | 20 00        |
| 4 to 5 ft                            |       | 5 00    |              |
| Ellwangeriana. 2 to 21/2 ft          |       | 4 00    |              |
| globosa. 18 to 24 in                 |       | 3 50    |              |
| lutea (Peabody's Golden).            |       |         |              |
| 2½ to 3 ft                           |       | 4 00    |              |
| Vervæneana. 3 ft., very              |       |         |              |
| heavy                                | 50    | 4 00    |              |
| 3 to 4 ft., very heavy               | 60    | 5 00    |              |
| compacta. 2 to 3 ft                  | 40    | 3 00    |              |
| pyramidalis. 3 to 4 ft               | 40    | 3 50    | 30 00        |
| Tartarica (Siberian Aborvitæ). 2 ft  |       | 3 00    | <b>25</b> 00 |
| 3 to 3½ ft.                          | 75    |         |              |
| TSUGA Canadensis (Hemlock).          |       |         |              |
| 15 to 18 in                          |       | 2 50    | 20 00        |
| 18 to 24 in                          |       | 3 50    | 30 00        |
| 24 to 30 in                          |       | 4 50    | 40 00        |
|                                      |       |         | 50           |
|                                      |       |         |              |
| FRUITS.                              |       |         |              |
|                                      |       |         | **           |

|  | Pe   | r 10. | Per 100.       |
|--|------|-------|----------------|
| APPLES. Extra size, 7 to 9 ft., 50 cts. each | .\$4 | 50    |                |
| Extra. 6 to 8 ft., 30 cts. each              | . 2  | 50    | <b>\$20</b> 00 |
| First Grade. 3 in., 5 to 7 ft., 20 cts. each | . 1  | 50    | 12 00          |

Will follow wishes of customers in the selection as closely as possible: My list includes the following varieties: Arkansas Red, America, Baldwin, Bea-Davis, Boiken, Duch. of Oldenburg, Fallawater, Golden Russet, Gravenstein, Grimes' Golden, Gideon, Giffen Beauty, Hub. Nonesuch, Hendrick's Sweet, King, Longfield, Munson Sweet, Maiden's Blush, Mann, McIntosh Red, Milding, Northern Spy, Pewaukee, Paragon, Rambo, Red Astrachan, R. I. Greening, Roxbury, Russet, Rome Beauty, Sutton Beauty, Senator, Smith's Cider, Smoke House, Spitzenburg, Stark, Sweet Bough, Talman Sweet, Wagener, Wealthy, Wolf River, Yellow Bellflower, Yellow Transparent, York Imperial, Yellow Sweet.

#### STANDARD PEARS.

First Class. 3/4 in. and up, 5 to 7 ft., 40 ets.

The list is made up of the following varieties: Anjou, Bartlett, Bose, Clapp, Dana's Hovey, Dearborn Seedling, Idaho, Lawrence, Seckel, Sheldon, Vt. Beauty, Winter Nelis.

| CHERRIES. 6 to 8 ft. XX, 50 cts. each Per First Grade. 5 to 7 ft., 40 cts. each 3 The list includes the following varieties: Black Tartarian, Early Richmond, Gov. Wood, Mercer, Montmorency, Ostheime, Reine Hortense, Windsor, Yellow Spanish. |          | Per 100        |  |
|--|----------|----------------|--|
| PLUMS. 6 to 8 ft. XX 50 cts. each.  First Grade. 5 to 7 ft., 40 cts. each.  Abundance, Bradshaw, Burbank, Chabot, Lombard, Moore's Arctic, Red June, Satsuma, Wickson, Willard.  | 3 50     |                |  |
| PEACHES. 9-16 in. and up, 15 cts. each   | 1 20     | 10 00          |  |
| QUINCES. 2½ to 4 ft., 30 cts. each<br>Champion, Meech's Prolific, Orange, Reas.  | 2 50     |                |  |
| GRAPES. 2 and 3 yrs., 20 cts. cach   | 1 50     |                |  |
| CURRANTS. 2 yrs., No. 1  |          | 5 00           |  |
| 2 yrs., No. 2<br>Black Champion, Cherry, Fay's Prolific, White<br>Grape, La Versailles, North Star.  |          | 3 00           |  |
| GOOSEBERRIES.  |          |                |  |
| Downing and HoughtonIndustry   |          | 5 00<br>12 00  |  |
| RASPBERRIES in variety   |          | 2 00           |  |
| •  |          |                |  |
| BLACKBERRIES in variety  |          | 2 00           |  |
| ASPARAGUS. Conover's Colossal and Palmetto, 2 yrs., \$5 00 per M   |          | 1 00           |  |
|  |          | 1 00           |  |
| RHUBARB. Myatt's 20 ets. each.   |          |                |  |
| HERBACEOUS PLANTS.   |          |                |  |
| Per  |          | Per 100.       |  |
| ACHILLEA (The Pearl)\$ ANTHEMIS tinctoria  | 50<br>50 | \$3 00<br>4 00 |  |
| ASTER Novæ-anglæ 1   |          | 8 00           |  |
| AQUILEGA alba 1  |          | 8 00           |  |
| Chrysantha 1   |          | 10 00          |  |
| ASCLEPIAS incarnata 1  | 00       | 7 00           |  |
| Tuberosa 1   | 50       | 10 00          |  |
| BOLTONIA latisquamæ  | 75       | 6 00           |  |
| COREOPSIS grandiflora  | 75       | 6 00           |  |
| DELPHINIUM, light blue and dark blue 1   | 00       | 6 00           |  |

DIANTHUS plumarius. 1 00 DICENTRA spectabilis. 1 50

### BAY STATE NURSERIES.

| DIGITALIS   |             | Per 100. |
|---|-------------|----------|
|   |             |          |
| EULALIA gracillima  |             |          |
| Zebrina<br>Variegata  |             |          |
| variegata   | 1 00        |          |
| GAILLARDIA aristata   | 1 20        | 10 00    |
| GALIUM boreale  |             | 8 00     |
| GYPSOPHILA  | 1 20        |          |
| HELENIUM autumnale  | 1 00        | 6 00     |
| HELIANTHUS decapetalis  | 1 00        | 7 00     |
| HEUCHERA sanguinea  | 1 50        |          |
| HIBISCUS (Crimson Eye)  | 1 00        | 7 00     |
| Moscheutos roseus   | 1 00        | 7 00     |
| HOLLYHOCK (Althea rosea)  | 1 00        | 8 00     |
| Double varieties, viz.: Crimson, pink, i                              | red,        |          |
| yellow.<br>Single Mixed   | 1 00        | 8 00     |
|   |             |          |
| IRIS (Fleur-de-Lis).  These are given in the order of their blockers. | om          |          |
| ing rather than in alphabetical order, sh                             |             |          |
| ing color, soil required, time of blooming,                           |             |          |
| Pumila, yellow, white and blue, dry s                                 |             |          |
| April and May   |             | 6 00     |
| Orientalis, blue (Yale Color), any soil, M                            |             | 7 00     |
| German  |             | 8 00     |
| Aurea, yellow.  | 1 20        | 0 00     |
| Augustina, s. yellow, f. yellow and mar                               | roon.       |          |
| Atroviolacea, s. rich purple, f. dark blu                             |             |          |
| Cengialti, dark purple.   |             |          |
| Florentina, white.  |             |          |
| Mme. Chereau, white-veined, feathered                                 | l violet.   |          |
| Pancrea, s. buff, f. purple.  |             |          |
| Princess of Wales, white.   |             |          |
| Queen of Gipsies, s. bronze, f. purplish                              | red.        |          |
| Sampson, s. golden yellow, f. maroon.                                 |             |          |
| These bloom in June and require a rich                                | n soil.     |          |
| Kæmpferi (Japanese)   | 1 20        | 8 00     |
| Mixed, all colors except yellow. Da                                   | $_{ m amp}$ |          |
| soil, July.   |             |          |
| MALVA alcea   | 1 25        | 10 00    |
| MONARDA didyma coccinea   | 1 00        | 8 00     |
| PÆONIA. Named colors  | 1.50        | 12 00    |
| Named varieties   |             | 15 00    |
| PAPAVER orientalis (Oriental Poppy)                                   | 1 20        | 8 00     |
| PHLOX. Mixed seedlings  |             | 3 00     |
| These include some of the finest variet                               | ies.        |          |
| Named Varieties   | 1 20        | 8 00     |

| PHLOX.                 | Per 10. | Per 100. |  |
|------------------------|---------|----------|--|
| Subulata               | . 1 00  | 6 00     |  |
| compacta               | . 1 00  | 6 00     |  |
| PLATYCODON alba        | . 1 00  |          |  |
| PONTEDERIA cordata     | . 1 00  | 8 00     |  |
| PYRETHRUM in variety   | . 1 00  | 8 00     |  |
| RUDBECKIA laciniata    | . 75    | 5 00     |  |
| SEDUM maximum          | . 1 00  |          |  |
| SPIRÆA palmata alba    | . 1 50  |          |  |
| Venusta                | . 1 50  |          |  |
| TRADESCANTIA Virginica | . 1 25  |          |  |
| " alba                 | . 1 25  |          |  |
| TRITOMA Field grown    |         | 8 00     |  |